L Number	Hits	Search Text	DB	Time stamp
-	1	"20030018656"	USPAT; US-PGPUB; IBM_TDB	2003/08/23 08:21
-	56	(storage adj2 administrator) and ((resource or storage or memory) with (allocat$5 or request$5)) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2003/08/23 08:22
-	24	((resource or storage or memory) with (allocat$5 or request$5)).ab. and ((resource or storage or memory) with (propert$3 or character$9)) and ((select$3 or specify$3 or identif$5 or determin$3 or choos$5 or pick$3) with (resource or storage or memory) with (requirement$2 or desir$5) with (propert$3 or character$9 or condition$5)) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2003/08/23 08:23
-	16	(request$3 same (resource or storage or memory) with allocat$5) and ((resource or storage or memory) with (propert$3 or character$9)) and ((select$3 or specify$3 or identif$5 or determin$3 or choos$5 or pick$3 or match$3) with (resource or storage or memory) with (requirement$2 or desir$5) with (propert$3 or character$9 or condition$5)) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2003/08/23 08:24
-	1	5018060.pn.	USPAT; US-PGPUB; IBM_TDB	2003/08/23 08:25
-	68	((user or client or administrator) with (select$3 or specify$3 or identif$5 or choos$5 or pick$3) with (resource or storage or memory) with (requirement$2 or preference$3 or character$9)) and ((resource or storage or memory) with (propert$3 or character$9)) and ((resource or storage or memory) with (allocat$5 or request$5)).ab. and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2003/08/23 08:49
-	31	((user or client or administrator) with (select$3 or specify$3 or identif$5 or choos$5 or pick$3) with (resource or storage or memory) with (requirement$2 or preference$3 or character$9)) and ((provid$3 or receiv$3) with (resource or storage or memory) with (propert$3 or character$9 or condition$5 or function$5)) and ((resource or storage or memory) with (allocat$5 or request$5)).ab. and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2003/08/23 08:51
-	75	((user or client or administrator) with (select$3 or specify$3 or identif$5 or choos$5 or pick$3) with (resource or storage or memory) with (requirement$2 or preference$3 or character$9)) and ((provid$3 or receiv$3) with (resource or storage or memory) with (propert$3 or character$9 or condition$5 or function$5)) and ((resource or storage or memory) with (allocat$5 or request$5)) and (@ad<20010719) and (707/$.ccls. or 711/$.ccls. or 709/$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2003/08/23 10:07